## § 180.575

(trifluoromethyl)phenyl]-5-(trifluoromethyl)-2-pyridinamine), including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only fluazinam, AMPA  $(2-(6-amino-3-chloro-\alpha,\alpha,\alpha$ trifluoro-2-nitro-p-toluidino)-3-chloro-5-(trifluoromethyl) pyridine), DAPA (3chloro-2-(2,6-diamino-3-chloro- $\alpha$ , $\alpha$ , $\alpha$ .trifluoro-p-toluidino)-5-

(trifluoromethyl)pyridine), and their sulfamate conjugates.

Commodity	Parts per million
Cattle, fat	0.05
Cattle, meat byproducts	0.05
Goat, fat	0.05
Goat, meat byproducts	0.05
Horse, fat	0.05
Horse, meat byproducts	0.05
Sheep, fat	0.05
Sheep, meat byproducts	0.05

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[66 FR 46738, Sept. 7, 2001, as amended at 67 FR 19130, Apr. 18, 2002; 72 FR 60260, Oct. 24, 2007; 75 FR 26667, May 12, 2010; 76 FR 3029, Jan. 19, 2011; 77 FR 66729, Nov. 7, 2012]

## §180.575 Sulfuryl fluoride; tolerances for residues.

(a)(1) General. Tolerances are established for residues of sulfuryl fluoride in or on the following commodities from the postharvest fumigation with sulfuryl fluoride for the control of insects:

Commodity	Parts per million
All processed food commodities not otherwise listed Barley, bran, postharvest Barley, flour, postharvest Barley, grain, postharvest Barley, pearled barley, postharvest Cacao bean, roasted bean, postharvest Cattle, meat, dried Cheese Coconut, postharvest Coffee, bean, roasted bean, postharvest Corn, field, flour, postharvest Corn, field, flour, postharvest Corn, field, grain, postharvest Corn, field, grain, postharvest Corn, field, meal, postharvest Corn, pop, grain, postharvest	2.0 0.05 0.05 0.1 0.05 0.2 0.01 1.0 1.0 0.01 0.05 15.0 0.01
Cotton, undelinted seed, postharvest	0.5

Commodity	Parts per million
Egg, dried	1.0
Fruit, dried, postharvest	0.05
Ginger, postharvest	0.5
Grain, aspirated fractions, postharvest	0.05
Herbs and spices group 19, postharvest	0.5
Hog, meat	0.02
Milk, powdered	2.0
Millet, grain, postharvest	0.1
Nut, pine, postharvest	0.2
Nut, tree, Group 14, postharvest	3.0
Oat, flour, postharvest	0.05
Oat, grain, postharvest	0.1
Oat, groats/rolled oats, postharvest	0.1
Peanut, postharvest	0.5
Pistachio, postharvest	3.0
Rice, bran, postharvest	0.01
Rice, flour, postharvest	0.05
Rice, grain, postharvest	0.04
Rice, hulls, postharvest	0.1
Rice, polished rice, postharvest	0.01
Rice, wild, grain, postharvest	0.05
Sorghum, grain, grain, postharvest	0.1
Triticale, grain, postharvest	0.1
Vegetable, legume, group 6, postharvest	0.5
Wheat, bran, postharvest	0.05
Wheat, flour, postharvest	0.05
Wheat, germ, postharvest	0.02
Wheat, grain, postharvest	0.1
Wheat, milled byproducts, postharvest	0.05
Wheat, shorts, postharvest	0.05

- (2) To assure safe use of this pesticide commodities treated with sulfuryl fluoride must be aerated for at least 24 hours prior to entering commerce.
- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registration. [Reserved]
- (d) Indirect or inadvertant residues. [Reserved]

 $[67~\mathrm{FR}~5740,~\mathrm{Feb}.~7,~2002,~\mathrm{as}~\mathrm{amended}~\mathrm{at}~69~\mathrm{FR}$ 3257, Jan. 23, 2004; 70 FR 40908, July 15, 2005]

#### §180.576 Cyhalofop-butyl; tolerances for residues.

(a) General. Tolerances are established for residues of cyhalofop-butyl, including its metabolites and degradates, in or on the commodities listed in the table below. Compliance with the tolerance levels specified below is to be determined by measuring cyhalofop butyl [R-(+)-n-butyl-2-(4(4cyano-2-fluorophenoxy)-

phenoxy)propionate], cyhalofop acid [R-(+)-2-(4(4-cyano-2-fluorophenoxy)phenoxy)propionic acid], and the dimetabolite [(2R)-4-(4-(1-carboxyethoxy)phenoxy)-3-fluorobengo:

fluorobenzoic acid].

## **Environmental Protection Agency**

Commodity	Parts per million
Rice, grain	0.40 0.40

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[67 FR 43256, June 27, 2002, as amended at 74 FR 15880, Apr. 8, 2009; 76 FR 82157, Dec. 30, 2011]

## § 180.577 Bispyribac-sodium; tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide bispyribac-sodium, including its metabolites and degradates, in or on the commodity listed below. Compliance with the tolerance level specified below is to be determined by measuring only bispyribac-sodium, (2,6-bis[(4,6-dimethoxy-2-pyrimidinyl)oxy]benzoic acid, sodium salt), in or on the following raw agricultural commodities:

Commodity	Parts per million
Fish, freshwater Rice, grain Rice, straw	0.01 0.02 0.02

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[66 FR 48097, Sept. 18, 2001, as amended at 76 FR 5716, Feb. 2, 2011]

# §180.578 Acetamiprid; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the insecticide acetamiprid  $(1E)-N-\lceil (6-\text{chloro-}3$ pyridinyl)methyl]-N'-cyano-Nmethylethanimidamide, including its metabolites and degradates, in or on the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined bу measuring acetamiprid in or on the following commodities.

Commodity	Parts per million
Almond, hulls	5.0
Asparagus	0.80
Berry, low growing subgroups 13-07G	0.60
Brassica, head and stem, subgroup 5A	1.20
Brassica, leafy greens, subgroup 5B	15
Bushberry subgroup 13-07B	1.6
Caneberry subgroup 13-07A	1.6
Canola, seed	0.010
Citrus, dried pulp	1.20
Corn, sweet, forage	15
Corn, sweet, kernel plus cob with husks re-	0.01
Corn, sweet, stover	30 20.0
Cotton, gin byproducts	20.0 0.60
	1.0
Fruit, citrus, group 10–10	
Fruit, pome, group 11–10	1.0
Fruit, small, vine climbing, except fuzzy	
kiwifruit, subgroup 13-07F	0.35
Fruit, stone, group 12, except plum, prune	1.20
Grain, aspirated fractions	5.0
Mustard, seed	0.010
Nut, tree, group 14	0.10
Onion, bulb, subgroup 3–07A	0.02
Onion, green, subgroup 3-07B	4.5
Pea and bean, succulent shelled, subgroup 6B	0.40
Pistachio	0.10
Plum, prune, dried	0.40
Plum, prune, fresh	0.20
Soybean, hulls	0.04
Soybean, seed	0.03
Tea, dried <sup>1</sup>	50.0
Tomato, paste	0.40
Turnip greens	15
Vegetable, cucurbit, group 9	0.50
Vegetable, fruiting, group 8-10	0.20
Vegetable, leafy, except brassica, group 4	3.00
Vegetable, legume, edible podded, subgroup 6A	0.60
Vegetable, tuberous and corm, group 1	0.00
vegetable, tuberous and comi, group i	0.01

 $^{1}\mathrm{There}$  are no U.S. registrations as of February 10, 2010, for the use of acetamiprid on dried tea.

(2) Tolerances are established for residues of the insecticide acetamiprid (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N-cyano-N-methylethanimidamide, including its metabolites and degradates, in or on the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined by measuring acetamiprid and (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N-cyano-N-

ethanimidamide in or on the following commodities.

Commodity	Parts per million
Cattle, fat	0.20
Cattle, meat	0.30
Cattle, meat byproducts	0.70
Egg	0.010
Goat, fat	0.20
Goat, meat	0.30
Goat, meat byproducts	0.70
Hog, fat	0.10